Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52	(((first near key) and (second near key)) and dependent$3 and (signature digest) and (hash "MAC" (message adj authenticat$3)) and (transmit$4 and message)) and @ad<"19980107"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L2	35	(((message information) near2 dependent) near2 key)) and @ad<"19990107"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L3	48	(@ad<"19980107" and (713/179.ccls.)) and "380"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L4	35	(((message information) near2 dependent) near2 key)) and @ad<"19990107"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L5	52	(deriv$3 near2 key) same ((data message information) near2 specific)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L6	3	(deriv$3 near2 key) same ((data message information) near2 specific) same concatenat$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L7	3	(deriv$3 near2 key) same ((data message information) near2 specific) same concatenat$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L8	48	(ip and header and checksum) and @ad<"19980107" and mobile	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L9	9	((ip and (header same checksum)) and @ad<"19980107" and mobile) and phone	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L10	79	(different near2 key) same (signature same encryption) same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L11	22	@ad<"19980107" and (ip same header same checksum same message)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L12	27	(((US-5596642-$ or US-5596643-$ or US-5621796-$ or US-5633930-$ or US-5754659-$ or US-5778395-$ or US-5867578-$ or US-5892211-$ or US-5903651-$ or US-5937066-$ or US-5995625-$ or US-6044154-$ or US-6138237-$ or US-6188995-$ or US-6587563-$ or US-6601172-$ or US-4694491-$ or US-4803725-$ or US-4879747-$ or US-4887296-$ or US-5231668-$ or US-5412718-$ or US-5544086-$ or US-5559887-$ or US-5577121-$).did. or (US-20020107877-$).did. or (EP-644474-$).did.) and ((deriv$5) near2 key near2 (signature hash crc checksum)) and encrypt$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L13	11	(different near2 key) with (signature with encryption) same messages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:15
L14	84	((@ad<"19980107" and (deriv$3 near2 key) and (first near key) and (second near key)) and (hash "MAC" digest "message authentication code")) and encrypt$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/02/20 12:16

| L15 | Full | 9 | (@ad<"19980107" and ((program$4 provision$3) near (mobile wireless cell$4)) and encrypt$3) and (hash digest) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/20 12:16 |